Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	108	(data adj2 process\$4)same (cach\$4 adj2 dat\$4) same (track\$6)	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L4	25	L3 same identif\$8	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L5	0	L3 same (identif\$8 adj2 (nod\$4 or connection or point or attach\$5))	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L6	1	("20030005092").PN.	US-PGPUB; USPAT; USOCR	OR ,	OFF	2007/10/09 16:39
L7	1	10/753817	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L8	1	("5835720").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/09 16:39
L9	1	("5539869").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/09 16:39
L10	2963	709/232-235.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L11	11148	709/201-203.ccls.	US-PGPUB; USPAT ·	OR	ON	2007/10/09 16:39
L12	4968	709/238-244.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L13	18009	L11 L10 L12	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L14	16831	(cach\$4 near3(arp address\$3))	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L15	3130	L14 near5(identif\$3 analyz\$3 determin\$3 discover\$3)	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L16	2712	L15 and(@ad<"20040108" @rlad<"20040108")	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L17	456	L15 same (transaction topology map\$3 lay\$out)	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L18	402	L17 and(@ad<"20040108" @rlad<"20040108")	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L19	5	L18 and ("709".clas. and "370".clas.	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L20	16831	(cach\$4 near3(arp address\$3))	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L21	3130	L20 near5(identif\$3 analyz\$3 determin\$3 discover\$3)	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L22	456	L21 same (transaction topology map\$3 lay\$out)	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39

			1			1
L23	402	L22 and(@ad<"20040108" @rlad<"20040108")	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L24	5	L23 and ("709".clas. and "370".clas.	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L25	29762	(load near2 balanc\$3)	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L26	2079	709/245.ccls.	US-PGPUB; USPAT	OR	ON .	2007/10/09 16:39
L27	208	L25 and L26	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L28	196	L27 and(@ad<"20040108" @rlad<"20040108")	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L29	5	L24 and load	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L30	12	L28 and ((arp "address resolution protocol")near3(rout\$3))	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L31	191	((clear delet\$3 eras\$3 expung\$3 remov\$3 wipe\$out)near3 (arp "address resolution protocol"))	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L32	2	L28 and ((clear delet\$3 eras\$3 expung\$3 remov\$3 wipe\$out)near3 (arp "address resolution protocol"))	US-PGPUB; USPAT	OR	ON	2007/10/09 16:39
L33	153	L31 and(@ad<"20040108" @rlad<"20040108")	US-PGPUB; USPAT	OR	ON	2007/10/09 16:44
L34	68183	INTERNATIONAL-BUSINESS-MACHI NES-CORPORATION.as.	US-PGPUB; USPAT	OR	ON	2007/10/09 16:45

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	105	(data adj2 process\$4)same (cach\$4 adj2 dat\$4) same (track\$6)	US-PGPUB; USPAT	OR	ON	2007/04/19 18:55
S2	0	S1 same (identif\$8 adj2 (nod\$4 or connection or point or attach\$5))	US-PGPUB; USPAT	OR	ON	2007/04/19 18:57
S3	25	S1 same identif\$8	US-PGPUB; USPAT	OR	ON	2007/04/19 18:58
S5	1	("2003 <u>0005092")</u> .PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/06 15:00
<b>S7</b>	1	10/753817	US-PGPUB; USPAT	OR	ON	2007/10/06 14:31
S8	1	("5539869").PN.	US-PGPUB; USPAT; USOCR	OR	OFF ·	2007/04/24 18:28
S9	1	("5835720").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/06 03:40
S10	11134	709/201-203.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/06 03:40
S11	2959	709/232-235.ccls.	US-PGPUB; USPAT	OR	OŃ	2007/10/06 03:40
S12	4954	709/238-244.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/06 03:40
S13	17979	S10 S11 S12	US-PGPUB; USPAT	OR	ON	2007/10/06 03:41
S14	16813	(cach\$4 near3(arp address\$3))	US-PGPUB; USPAT	OR	ON	2007/10/06 03:41
S15	3124	S14 near5(identif\$3 analyz\$3 determin\$3 discover\$3)	US-PGPUB; USPAT	OR	ON	2007/10/06 03:42
S16	2710	S15 and(@ad<"20040108" @rlad<"20040108")	US-PGPUB; USPAT	OR	ON	2007/10/06 03:45
S17	455	S15 same (transaction topology map\$3 lay\$out)	US-PGPUB; USPAT	OR	ON	2007/10/06 03:44
S18	401	S17 and(@ad<"20040108" @rlad<"20040108")	US-PGPUB; USPAT	OR	ON	2007/10/06 03:45
S19	5	S18 and ("709".clas. and "370".clas.	US-PGPUB; USPAT	OR	ON	2007/10/06 03:45
S20	16813	(cach\$4 near3(arp address\$3))	US-PGPUB; USPAT	OR	ON	2007/10/06 14:31
S21	3124	S20 near5(identif\$3 analyz\$3 determin\$3 discover\$3)	US-PGPUB; USPAT	OR	ON	2007/10/06 14:31
S22	455	S21 same (transaction topology map\$3 lay\$out)	US-PGPUB; USPAT	OR	ON	2007/10/06 14:31

_				r	r	
S23	401	S22 and(@ad<"20040108" @rlad<"20040108")	US-PGPUB; USPAT	OR	ON	2007/10/06 15:02
S24	5	S23 and ("709".clas. and "370".clas.	US-PGPUB; USPAT	OR	ON	2007/10/06 14:31
S25	5	S24 and load	US-PGPUB; USPAT	OR	ON	2007/10/06 14:31
S26	29720	(load near2 balanc\$3)	US-PGPUB; USPAT	OR	ON	2007/10/06 15:01
S27	2075	709/245.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/06 15:02
S28	208	S26 and S27	US-PGPUB; USPAT	OR	ON	2007/10/06 15:02
S29	196	S28 and(@ad<"20040108" @rlad<"20040108")	US-PGPUB; USPAT	OR	ON	2007/10/06 18:20
S30	12	S29 and ((arp "address resolution protocol")near3(rout\$3))	US-PGPUB; USPAT	OR	ON	2007/10/06 18:14
S31	2	S29 and ((clear delet\$3 eras\$3 expung\$3 remov\$3 wipe\$out)near3 (arp "address resolution protocol"))	US-PGPUB; USPAT	OR	ÖN	2007/10/06 18:19
S32	191	((clear delet\$3 eras\$3 expung\$3 remov\$3 wipe\$out)near3 (arp "address resolution protocol"))	US-PGPUB; USPAT	OR	ON	2007/10/06 18:20
S33	153	S32 and(@ad<"20040108" @rlad<"20040108")	US-PGPUB; USPAT	OR	ON	2007/10/06 18:20